

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF :
MASAHIRO MOTOYUKI ET AL : EXAMINER:
NEW REISSUE OF
U.S. PATENT NO. 6,018,086 :
FILED: HEREWITH : GROUP ART UNIT:
FOR: PROCESS FOR PREPARING
2,6-DIALKYLNAPHTHALENE

PRELIMINARY AMENDMENT

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

SIR:

Prior to examination on the merits, please amend the application identified above as follows (marked-up copy of amendments attached):

IN THE CLAIMS

Please add new Claims 28-31 as follows:

28. A process for preparing a polyester resin comprising:
producing 2,6-dialkyl naphthalene from a feedstock by the process of Claim 22;
oxidizing the 2,6-dialkyl naphthalene to form 2,6-naphthalenedicarboxylic acid; and
manufacturing the polyester resin from the 2,6-naphthalene-dicarboxylic acid.

29. A process for preparing a polyester resin comprising:
producing 2,6-dialkylnaphthalene from a feedstock by the process of Claim 22;
oxidizing the 2,6-dialkylnaphthalene to form 2,6-naphthalenedicarboxylic acid;
esterifying the 2,6-naphthalenedicarboxylic acid with methanol to form a 2,6-naphthalenedicarboxylate; and

manufacturing the polyester resin from the 2,6-naphthalenedicarboxylate.

30. A process for preparing a polyester resin comprising:

producing 2,6-dialkylnaphthalene from a feedstock by the process of Claim 24;
oxidizing the 2,6-dialkylnaphthalene to form 2,6-naphthalenedicarboxylic acid; and
manufacturing the polyester resin from the 2,6-naphthalene-dicarboxylic acid.

31. A process for preparing a polyester resin comprising:

producing 2,6-dialkylnaphthalene from a feedstock by the process of Claim 24;
oxidizing the 2,6-dialkylnaphthalene to form 2,6-naphthalenedicarboxylic acid;
esterifying the 2,6-naphthalenedicarboxylic acid with methanol to form a 2,6-naphthalenedicarboxylate; and

manufacturing the polyester resin from the 2,6-naphthalenedicarboxylate.

SUPPORT FOR THE AMENDMENT

This Preliminary Amendment adds new Claims 28-31. Support for the amendment is found in the specification and claims as originally filed. In particular, support is found in the specification at least at page 11, lines 1-18. No new matter will be introduced by entry of these amendments.

Upon entry of these amendments, Claims 1-31 will be pending in this application. Claims 1 and 20-27 are independent.

REMARKS

Applicants respectfully request early and favorably examination and allowance of the application.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Norman F. Oblon
Attorney of Record
Registration No. 24,618

Corwin P. Umbach, Ph.D.
Registration No. 40,211

Attachment:

Marked-up copy of amendments



22850

(703) 413-3000

Fax #: (703) 413-2220

NFO/CPU

I:\atty\Cpu\216999US-prelim.wpd

MARKED-UP COPY OF AMENDMENTS

IN RE APPLICATION OF :
MASAHIRO MOTOYUKI ET AL : EXAMINER:
NEW REISSUE OF :
U.S. PATENT NO. 6,018,086 :
FILED: HERewith : GROUP ART UNIT:
FOR: PROCESS FOR PREPARING
2,6-DIALKYLNAPHTHALENE

PRELIMINARY AMENDMENT

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

SIR:

Marked-Up Copy
Serial No: <u>New Application</u>
Amendment Filed on: <u>Herewith</u>

Prior to examination on the merits, please amend the application identified above as follows (marked-up copy of amendments attached):

IN THE CLAIMS

Please add new Claims 28-31 as follows:

28. A process for preparing a polyester resin comprising:
producing 2,6-dialkylnaphthalene from a feedstock by the process of Claim 22;
oxidizing the 2,6-dialkylnaphthalene to form 2,6-naphthalenedicarboxylic acid; and
manufacturing the polyester resin from the 2,6-naphthalene-dicarboxylic acid.

29. A process for preparing a polyester resin comprising:
producing 2,6-dialkylnaphthalene from a feedstock by the process of Claim 22;
oxidizing the 2,6-dialkylnaphthalene to form 2,6-naphthalenedicarboxylic acid;
esterifying the 2,6-naphthalenedicarboxylic acid with methanol to form a 2,6-naphthalenedicarboxylate; and

manufacturing the polyester resin from the 2,6-naphthalenedicarboxylate.

30. A process for preparing a polyester resin comprising:

producing 2,6-dialkylnaphthalene from a feedstock by the process of Claim 24;
oxidizing the 2,6-dialkylnaphthalene to form 2,6-naphthalenedicarboxylic acid; and
manufacturing the polyester resin from the 2,6-naphthalene-dicarboxylic acid.

31. A process for preparing a polyester resin comprising:

producing 2,6-dialkylnaphthalene from a feedstock by the process of Claim 24;
oxidizing the 2,6-dialkylnaphthalene to form 2,6-naphthalenedicarboxylic acid;
esterifying the 2,6-naphthalenedicarboxylic acid with methanol to form a 2,6-naphthalenedicarboxylate; and

manufacturing the polyester resin from the 2,6-naphthalenedicarboxylate.